


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S128	0	aru with ("all received" or all-received)	USPAT	OR	ON	2005/11/02 11:55
S129	28	aru with field	USPAT	OR	ON	2005/11/02 11:47
S130	1	aru near2 field	USPAT	OR	ON	2005/11/02 11:48
S131	1	aru near2 field	US-PGPUB	OR	ON	2005/11/02 11:48
S132	0	("2003/0061389").URPN.	USPAT	OR	ON	2005/11/02 11:52
S133	0	aru with ("all received" or all-received)	US-PGPUB	OR	ON	2005/11/02 11:54
S134	0	aru and ("all received" or all-received)	USPAT	OR	ON	2005/11/02 11:54
S135	273	aru all	US-PGPUB	OR	ON	2005/11/02 11:54
S136	0	aru and all	US-PGPUB	OR	ON	2005/11/02 11:54
S137	97	aru and receiv\$4	US-PGPUB	OR	ON	2005/11/02 11:54
S138	23	aru with receiv\$4	US-PGPUB	OR	ON	2005/11/02 11:54
S139	120	aru with (sequenc\$4 or number)	USPAT	OR	ON	2005/11/02 11:56
S140	0	aru with (sequenc\$4 adj number)	USPAT	OR	ON	2005/11/02 11:56
S141	15	aru with (sequenc\$4 near2 number)	USPAT	OR	ON	2005/11/02 11:58
S144	72	aru with (automat\$4 adj response)	USPAT	OR	ON	2005/11/02 11:58
S145	0	S141 not S144	USPAT	OR	ON	2005/11/02 11:57
S146	19	aru same token	USPAT	OR	ON	2005/11/02 11:59
S147	7	S146 not S144	USPAT	OR	ON	2005/11/02 11:58
S148	21	aru with (automat\$4 adj response)	US-PGPUB	OR	ON	2005/11/02 11:58
S149	6	aru same token	US-PGPUB	OR	ON	2005/11/02 11:59
S150	4	S149 not S148	US-PGPUB	OR	ON	2005/11/02 11:59

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

aru token

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 20 of about 14,400 for **aru token**. (0.08 seconds)

[PS] [Yair Amir & Jonathan Stanton 1Fall 2000/Week 5 Distributed ...](#)

File Format: Adobe PostScript - [View as Text](#)

The Ring Ordering Scheme (cont) How to update the **token aru**? - If **token.aru** = **token.seq** and have all the messages then should higher **aru** together with the ...

[www.cs.jhu.edu/~yairamir/cs437/week5.ps](#) - [Similar pages](#)

[PS] [Fast Message Ordering and Membership Using a Logical Token-Passing ...](#)

File Format: Adobe PostScript - [View as Text](#)

Whether broadcasting a message or not, a processor compares the **aru** field of the **token** with my **aru** and, if my **aru** is smaller, replaces **aru** with my **aru**. ...

[www.cs.jhu.edu/~yairamir/dcs-93.ps](#) - [Similar pages](#)

[[More results from www.cs.jhu.edu](#)]

[PS] [Implementing Totems' total ordering protocol in JavaGroups ...](#)

File Format: Adobe PostScript - [View as Text](#)

ffl aruld: address of the member that last set the value of **aru** less than seq.

ffl type: regular or recovery **token** ffl broadcastCount: indicates number of ...

[www.jgroups.org/javagroupsnew/docs/papers/totaitoken.ps.gz](#) - [Similar pages](#)

[Openais] [new totemsrp 8](#)

Jan 21 13:05:07 [NOTICE] [GMI] Sending initial ORF **token token** retrans flag is

0 my set retrans flag1 retrans queue empty 1 count 0 install seq 0 **aru** 0 ...

[lists.osdi.org/pipermail/openais/2005-January/000801.html](#) - 21k - [Cached](#) - [Similar pages](#)

[Openais] [new totemsrp 8](#)

... state. **token** retrans flag is 1 my set retrans flag0 retrans queue empty 1

count 3 install seq 0 **aru** 0 high seq received 0 retrans flag count 3 **token aru** ...

[lists.osdi.org/pipermail/openais/2005-January/000802.html](#) - 18k - [Cached](#) - [Similar pages](#)

[[More results from lists.osdi.org](#)]

[PDF] [Group Communication Basics](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Token contains **aru** field: . Indicates low-water-mark. . Indicates sequence number s, such that each process in view has ...

[www.cs.mcgill.ca/~kemme/cs764/lectures/764-gc.pdf](#) - [Similar pages](#)

[PDF] [Computer Communications and Networks, 1997. Proceedings., Sixth ...](#)

File Format: PDF/Adobe Acrobat

quence numbers less than that in the **aru** field of the **token**,. it reduces the **aru** accordingly. The processor that most. recently lowered the **aru** raises it ...

[doi.ieeeecomputersociety.org/10.1109/ICCCN.1997.623289](#) - [Similar pages](#)

[PDF] [A Reliable Ordered1 Delivery Protocol for Interconnected Local ...](#)

File Format: PDF/Adobe Acrobat

field, **aru**, of the **token** allows a processor to determine. whether all processors on the ring have received all. messages with sequence numbers less than or ...

[doi.ieeeecomputersociety.org/10.1109/ICNP.1995.524853](#) - [Similar pages](#)

[Crikey Website - Funding Indigenous rugby union stars](#)

But such **token** gestures beg the need to ask the serious question: Why should a rich organisation such as the ARU, who won't spend anything but a **token** ...

[www.crikey.com.au/articles/2004/09/03-0005.html](#) - 17k - [Cached](#) - [Similar pages](#)

[PS] [The SecureRing Protocols for Securing Group Communication \Lambda ...](#)

File Format: Adobe PostScript - [View as Text](#)

2 in the **aru** field of the **token** that it multicasts. ... p also verifies that the

aru field and the rtr listfield in the token sent by ...
homepage.westmont.edu/~kimkihls/nicss98.ps - [Similar pages](#)

[PDF] Communication

File Format: PDF/Adobe Acrobat

The all-received-up-to field, or aru, of the token. enables a processor to determine, after a full token. rotation, a sequence number so that all processors ...

portal.acm.org/ft_gateway.cfm?id=227226&type=pdf - [Similar pages](#)

[PDF] Latency analysis of the totem single-ring protocol - Networking ...

File Format: PDF/Adobe Acrobat

numbers up to that contained in the aru field of the token, it. reduces the aru accordingly ... aru in step with seq. If the token makes a complete rotation ...

portal.acm.org/ft_gateway.cfm?id=504638&type=pdf - [Similar pages](#)

[PDF] VICTORIA UNIVERSITY OF WELLINGTON Te Whare Wananga o te Upoko o te ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

that can be partitioned into two or more subsequences of tokens ARU ... ARU has a missing token ("C" is missing) and the third ARU has a mismatching ...

www.mcs.vuw.ac.nz/comp/Publications/archive/CS-TR-04/CS-TR-04-9.pdf - [Similar pages](#)

[PS] Approximately Repetitive Structure Detection for Wrapper Induction ...

File Format: Adobe PostScript - [View as Text](#)

Figure 3 shows a bigger example using the token string ". XYABCEDABDEAPCDETXYET", which contains a region with three ARU's, and some ...

www.mcs.vuw.ac.nz/~xgao/publications/prica04.ps - [Similar pages](#)

[PDF] 1 Category: Functional/Conversation Analysis Title: A claim-of ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

minimum acknowledgment tokens in line 3. Then, in line 4, she initiates a repair

... B: e- aru n ja nai no? 'nanka'. 'e-' 'I guess it does. um'. 6. Turn4 ...

mp.lss.wisc.edu/jk15/conference/Shimotani.pdf - [Similar pages](#)

[PDF] The The SecureRing SecureRing Group Group Communication ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

message digests, token is not proper. • The aru value should be ... predetermined number of tokens with. same aru field or rtr_list is added to ...

homes.cerias.purdue.edu/~crisn/courses/cs590T/cs590T_lect7_sr.pdf - [Similar pages](#)

[Spread Changelog](#)

Fix hanging bug where token rotates, but ARU is stuck. Split the growing changelog at the beginning of Readme.txt into a separate file. ...

www.spread.org/changelog.html - 33k - [Cached](#) - [Similar pages](#)

[PDF] The SecureRing Group Communication System

File Format: PDF/Adobe Acrobat

The token also contains the aru (all received up to) field, which is a mes- ... continuity in the fields my aru, my acu, my token aru, and my token acu. ...

dx.doi.org/10.1145/503339.503341 - [Similar pages](#)

[Kota Kinabalu: Shangri-La Tanjung Aru Resort - Traveler Reviews ...](#)

Shangri-La Tanjung Aru Resort, Kota Kinabalu: 5 Star facilities.....but not 5

... So much so, we left gifts and money in the room when we left as a token of ...

www.tripadvisor.com/ShowUserReviews-g298307-d302155-r3924972-Shangri_La_Tanjung_Aru_Resort-Kota_Kinabalu... - 91k - [Cached](#) - [Similar pages](#)

[Kota Kinabalu: Shangri-La Tanjung Aru Resort - Traveler Reviews ...](#)

Shangri-La Tanjung Aru Resort, Kota Kinabalu: Lots to do KK and not enough ...

So much so, we left gifts and money in the room when we left as a token of ...

www.tripadvisor.com/ShowUserReviews-g298307-d302155-r3985943-Shangri_La_Tanjung_Aru_Resort-Kota_Kinabalu... - 91k - [Cached](#) - [Similar pages](#)

[[More results from www.tripadvisor.com](#)]

Try searching for [aru token](#) on [Google Book Search](#)

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

"all received up to"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 20 of about 84 for "[all received up to](#)". (0.13 seconds)

[\[PS\] Implementing Totems' total ordering protocol in JavaGroups...](#)

File Format: Adobe PostScript - [View as Text](#)

ffl aru: **all received up to** represents a sequence number of a message m and denotes that, all members have received all message less then or equal to ...

www.jgroups.org/javagroupsnew/docs/papers/totatoken.ps.gz - [Similar pages](#)

[RMP: Fault-Tolerant Group Communication](#)

Before a token site multicasts message m, the site computes a safe parameter and assigns it m.k, the "**all-received-up-to**" message sequence number. ...

doi.ieeecomputersociety.org/10.1109/40.491463 - [Similar pages](#)

[\[PDF\] Object-Oriented Design of Adaptive Multicast Communications](#)

File Format: PDF/Adobe Acrobat

notified. It can be seen that the atomic parameter reflects the, orders of "**all-received-up-to**" messages, indicating that ...

doi.ieeecomputersociety.org/10.1109/ISPAN.1999.778916 - [Similar pages](#)

[[More results from doi.ieeecomputersociety.org](#)]

[\[PS\] Group Communication as an Infrastructure for Distributed System ...](#)

File Format: Adobe PostScript - [View as Text](#)

ARU stands for "**all-received-up-to**". Request from a client The server which receives an update request from a client, forwards it to the primary server. ...

www.cs.huji.ac.il/~dolev/pubs/sdne96.ps - [Similar pages](#)

[\[PS\] Fast Message Ordering and Membership Using a Logical Token-Passing ...](#)

File Format: Adobe PostScript - [View as Text](#)

ffl aru: A sequence number (**all-received-up-to**) such, that all processors on the ring have received all messages up to (and including) the message with this ...

www.cs.jhu.edu/~yairamir/dcs-93.ps - [Similar pages](#)

[\[PS\] The Totem Single-Ring Ordering and Membership Protocol Y. AMIR, LE ...](#)

File Format: Adobe PostScript - [View as Text](#)

ffl aru: A sequence number (**all-received-up-to**) used to determine if all processors on the, ring have received all messages with sequence numbers less than ...

www.cs.jhu.edu/~yairamir/tocs.ps - [Similar pages](#)

[[More results from www.cs.jhu.edu](#)]

[\[PPT\] Network Layer 1](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... send the first byte, then hang on to the next bytes until the first is ACK'd, then send **all received up to** that point, and so on. ...

cs.clarku.edu/~jbreecher/public/2002_networks/lectures/Chapter06-Transport.ppt - [Similar pages](#)

[Three-Year Multicenter Surveillance of Pneumococcal Meningitis in ...](#)

Eight children were treated with meropenem (enrolled in a study protocol) for 10 days; they **all received up to** 24 hours of therapy with a third-generation ...

pediatrics.aappublications.org/cgi/content/full/102/5/1087 - [Similar pages](#)

[AU - Giaquinto C; Del Mistro A; De Rossi A; Bertorelle R; Giacomet ...](#)

... Twelve patients had primary locally advanced disease, 13 patients had a locoregional recurrence, and **all received up to** three BMC cycles. ...

www.acor.org/cnet/706225.export - 13k - Supplemental Result - [Cached](#) - [Similar pages](#)

[\[PS\] ProductName: GNU Ghostscript \]%% The SecureRing Group ...](#)

File Format: Adobe PostScript - [View as Text](#)

The token also contains the aru (**all received up to**) field, which is a message

identifier used to indicate that the processor multicasting the token has ...
homepage.westmont.edu/kimkihls/tissec01.ps - [Similar pages](#)

[PDF] [The SecureRing Protocols for Securing Group Communication \Lambda ...](#)
 File Format: Adobe PostScript - [View as Text](#)
 aru (all received up to)field, which is a message identifier used to indicate
 that the. processor multicasting the token has received each messagewith ...
homepage.westmont.edu/kimkihls/tissec98.ps - [Similar pages](#)
[\[More results from homepage.westmont.edu \]](#)

Petal School District – Petal, MS

... Bob Dowdy, WL Smith Elementary School, Wendy Hogue, Petal Middle School, and Leisha
 Parker, Petal High School, all received up to \$500 to add a new program to ...
petalschools.com/index.php?start_from=200&archive=&subaction=&id=& - 12k - Supplemental Result -
[Cached](#) - [Similar pages](#)

[Openais] Re: sq list question

What it does is > disallow new transmissions (and hence incrementation of the
 seqid) when > its group arut (all received up to) is too far below the ...
lists.osdi.org/pipermail/openais/2004-August/000200.html - 20k - [Cached](#) - [Similar pages](#)

[PDF] The SecureRing Group Communication System

File Format: PDF/Adobe Acrobat
 The token also contains the aru (all received up to) field, which is a mes-
 sage identifier used to indicate that the processor multicasting the token has ...
dx.doi.org/10.1145/503339.503341 - [Similar pages](#)

[PDF] The Totem single-ring ordering and membership protocol

File Format: PDF/Adobe Acrobat
 (all-received-up-to). used to determine. if all proces- sors on the ring. have.
 received. all messages. with. sequence. numbers ...
dx.doi.org/10.1145/210223.210224 - [Similar pages](#)

[PDF] INSPECTION REPORT

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 The headteacher and staff have all received up-to-date training in child protection.
 measures and enjoy good links with the support agencies. ...
www.ofsted.gov.uk/reports/109/109453.pdf - [Similar pages](#)

[PDF] Results of Meditech Research Limited's Annual General Meeting

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... Page 16. HyFIVE TM Phase I Clinical Trial 13 patients All received up to 3 cycles
 of chemotherapy No adverse toxicity Day 0 of therapy We can safely use HyFIVE ...
nrl.com.au/pdf/results_nrl_agm.pdf - Supplemental Result - [Similar pages](#)

[PDF] REPORT ON WATERWAY RESTORATION PRIORITIES

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 All received up to early June. have been included in the analysis. Response.
 3.20 The response was excellent. More than 80 questionnaires were returned, ...
www.iwaac.org/downloads/reports/iwaac_restoration_priorities1998.pdf - [Similar pages](#)

Soroptimist International of the Americas, Northwestern Region ...

... restaurants. The restaurants all received up to \$200 for raw materials and
 booths were set up for the individual restaurants. Tickets ...
www.soroptimistnwr.com/Admin/CF_Files/PFRSearchClubView.cfm?PFR_rec_No=776 - 13k - Supplemental Result -
[Cached](#) - [Similar pages](#)

[PDF] 1K/2K/4K 5.0V CMOS Serial EEPROM

File Format: PDF/Adobe Acrobat
 ... The internal, completely self-timed PROGRAM cycle starts after the STOP condition
 has been generated by the master and all received (up to two) data bytes will ...
www.romservice.ru/datashee/85c72-82-92.pdf - Supplemental Result - [Similar pages](#)

Try searching for "all received up to" on [Google Book Search](#)